

Serial No.:
Exp. Date:

Indications: Recommended for the vaccination of healthy, susceptible swine 3 weeks of age or older, up to 18 weeks of age, as an aid in the reduction of disease associated with atypical Porcine Reproductive and Respiratory Syndrome virus, respiratory form. The duration of immunity is throughout the finishing period, or up to 4 months post-vaccination. For use only in swine in PRRS virus positive herds as directed.

Directions: Rehydrate the vaccine by adding the accompanying liquid diluent to the vaccine vial. Shake well and use immediately.

Dosage: Using aseptic technique, administer a single 2 mL dose intramuscularly to swine 3 weeks of age or older.

Precautions: Store out of direct sunlight at

Porcine Reproductive and Respiratory Syndrome Vaccine,

Respiratory Form,
Modified Live Virus

Ingelvac® PRRS ATP

Atypical Virus

50 Doses/Rehydrate with 100 mL

a temperature between 35-45°F (2-7°C). Use entire contents when first opened. Do not vaccinate within 21 days before slaughter. Do not vaccinate pregnant sows. Do not use in adult boars, sows, or gilts. Burn containers and all unused contents. Anaphylactoid reactions may occur.

Antidote: Ephinephrine.

Preservative: Neomycin.

Boehringer Ingelheim Vetmedica, Inc.
St. Joseph, MO 64506
U.S. Veterinary License No. 124

Code 127-831; 27802-00



PRRS & Reproductive Tools

	Respiratory PRRS	Atypical PRRS	Reproductive PRRS	Erysipelas	Parvovirus	5-Way Lepto
Ingelvac® PRRS ATP	✓	✓				
Ingelvac® PRRS MLV	✓		✓			
ReproCyc® PRRS PLE	✓		✓	✓	✓	✓
ReproCyc® PLE				✓	✓	✓

Boehringer Ingelheim Vetmedica, Inc.

2621 North Belt Highway • St. Joseph, MO 64506-2002

Information 800-325-9167 • Sales Service 800-325-9167 • Fax 816-236-2717

www.bi-vetmedica.com